




THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
H	-	D		REVISED PER ECO-13-015151	16DEC2013	FL	FY



NOTES:

- ① GENERAL PLATING SPECIFICATION: UNDERPLATING (ENTIRE CONTACT): 1,27µm NICKEL MIN. AND ACTION PIN: 0,5µm TIN MIN. FOR PLATING OF MATING SURFACES SEE PERFORMANCE LEVEL SHOWN IN PART NUMBER TABLE.
- ② MATERIAL; PHOSPHORBRONZE.
- ③ ROW "f" 6 PLATED THROUGH HOLES FOR UPPERSHIELD
- ④ HOLE PATTERN FOR FEMALE CONNECTOR TYPE C 55 PLATED-THROUGH HOLES AT 2x2mm SQUARE GRID SHIELDS LUBRICATED WITH BELLCORE APPROVED LUBRICANT. TECHNICAL REF: TR-NWT-001217 ISSUE 1, SEPT. 1992.
- ⑤ OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI
- ⑥ CONFORMS TO ALL TESTING ACCORDING IEC 61076-4-101 PERFORMANCE LEVEL 2.
- ⑦ CONFORMS TO ALL TESTING ACCORDING IEC 61076-4-101 PERFORMANCE LEVEL 1.
- ⑧ CONNECTOR TESTED AND QUALIFIED AGAINST TELCORDIA GR-1217-CORE QUALITY LEVEL III, CENTRAL OFFICE APPLICATIONS.
- ⑩ 0.76µm MIN GOLD PLATING AT MATING SURFACE.



COMPONENT SIDE AS SHOWN  
 RECOMMENDED PCB-HOLE LAY-OUT

P.C.B. HOLE DIM. ACTION PIN  
 FOR DETAILS SEE  
 APPLICATION SPECIFICATION

⑥ OBSOLETE	① ③ ⑩	②	8-5352111-4
	① ③ ⑨	②	-5352111-9
	① ③	②	5352111-2
	FINISH	MATERIAL	PARTNUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	18AUG04	 TE Connectivity											
DIMENSIONS: mm		CHK	25MAR05												
TOLERANCES UNLESS OTHERWISE SPECIFIED: ±0.2		APVD	25MAR05												
<table border="1"> <tr><td>6-PLC</td><td>±</td></tr> <tr><td>1-PLC</td><td>±</td></tr> <tr><td>2-PLC</td><td>±</td></tr> <tr><td>3-PLC</td><td>±</td></tr> <tr><td>4-PLC</td><td>±</td></tr> <tr><td>ANGLES</td><td>±</td></tr> </table>		6-PLC	±		1-PLC	±	2-PLC	±	3-PLC	±	4-PLC	±	ANGLES	±	NAME
6-PLC	±														
1-PLC	±														
2-PLC	±														
3-PLC	±														
4-PLC	±														
ANGLES	±														
MATERIAL	FINISH	PRODUCT SPEC	108-19082	Z-PACK 2mm HM GROUND RETURN UPPER SHIELD TYPE C/M											
		APPLICATION SPEC	114-19029	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO								
		WEIGHT	-	A2	00779	C=5352111	-								
CUSTOMER DRAWING			SCALE	5:1	SHEET	1 of 1	REV								
							D								