






PRODUCT NUMBER SEE SHEET 2



spec ref *	dr	Peng-Bing Fu	2012/06/11	projection	MM	size	A3	scale	3:2
tolerance std	eng	Peng-Bing Fu	2012/11/13			ecn no	ELX-DG-013143-1		
ASME Y14.5	chr	Shao-Qi Kuang	2012/11/15				product family	PwrBlade+	rel level
surface ✓	ASME Y14.5	linear	0.X	±0.5		2HP + 24S + 2HP RA STB HEADER	dwg no 10106124-4006001	rev B	cat. no. Product - Customer Drw
			0.XX	±0.25					
			0.XXX	±0.10					
	angular	0°	±2°	www.fci.com	Product - Customer Drw	sheet 1 of 3			

PRODUCT NO.	ROWS	HP		SIGNAL						HP		E2	
		E1	P1	P2	1	2	3	4	5	6	P3		P4
10106124-4006001LF	DCBA	HA	H1	H1	U	U	U	U	U	U	H1	H1	HA



2X $\varnothing 2.49 \pm 0.05$
NOTE 6
 $\varnothing 0.10$ (M) V U

$\varnothing 1.02 \pm 0.07$ TYP
NOTE 6,7
 $\varnothing 0.10$ (M) V U



CODE	DESCRIPTION
HI	STD HIGH POWER CONTACT (3.43)
HA	METAL HOLD DOWN
R	STD SIGNAL CONTACT, ROW A (3.43)
S	STD SIGNAL CONTACT, ROW B (3.43)
T	STD SIGNAL CONTACT, ROW C (3.43)
U	STD SIGNAL CONTACT, ROW D (3.43)

dr	Peng-Bing Fu	2012/06/11	projection	MM	size	A3	scale	3:2
eng	Peng-Bing Fu	2012/11/13			ecn no	ELX-DG-013143-1		
chr	Shao-Qi Kuang	2012/11/15			product family	PwrBlade+	rel level	Released
appr	Pei-Ming Zheng	2012/11/15			dwg no	10106124-4006001		rev
www.fci.com			cat. no.		Product - Customer Drw		sheet 2 of 3	





Copyright FCI.

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE P/N CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENSIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025 MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.
-  9) A  SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.



Copyright FCI.

dr	Peng-Bing Fu	2012/06/11	projection 	MM 	size	A3	scale	3:2
eng	Peng-Bing Fu	2012/11/13			ecn no	ELX-DG-013143-1		
chr	Shao-Qi Kuang	2012/11/15			product family	PwrBlade+	rel level	Released
appr	Pei-Ming Zheng	2012/11/15			rev	2HP + 24S + 2HP		rev
			RA STB HEADER		dwg no	10106124-4006001		B
www.fci.com			cat. no.	Product - Customer Drw			sheet 3 of 3	